

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 31.05.2021, Revision 31.05.2021

Version 01

Page 1 / 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Acryl Früh Regenbeständig 165 WEISS

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Sealing material

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ramsauer GmbH & Co KG
Sarstein 17
4822 Bad Goisern / H. / AUSTRIA
Phone +43(0)6135 8205-0
Fax +43(0)6135 8205-250
Homepage www.ramsauer.at
E-mail office@ramsauer.at

Address enquiries to

Technical information office@ramsauer.at

Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.
Product treated with preservatives C(M)IT/MIT (3:1) (CAS: 55965-84-9).
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Contains: Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. EUH208 May produce an allergic reaction.

2.3 Other hazards

Environmental hazards Does not contain any PBT or vPvB substances.
Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 31.05.2021, Revision 31.05.2021

Version 01

Page 2 / 12

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - <5	Titanium dioxide CAS: 13463-67-7, EINECS/ELINCS: 236-675-5 GHS/CLP: Carc. 2: H351
0,005 - <0,05	1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5, EINECS/ELINCS: 220-120-9, EU-INDEX: 613-088-00-6 GHS/CLP: Acute Tox. 4: H302 - Skin Irrit. 2: H315 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: H400, M-Factor (acute): 1 SCL [%]: >=0,05: Skin Sens. 1: H317
0,00015 - <0,0015	Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9, EINECS/ELINCS: 611-341-5, EU-INDEX: 613-167-00-5 GHS/CLP: Acute Tox. 3: H301 - Skin Corr. 1B: H314 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - Acute Tox. 2: H310 - Acute Tox. 2: H330 - EUH071, M-Factor (acute): 100, M-Factor (chronic): 100 SCL [%]: 0,6: Eye Dam. 1: H318, 0,06 - <0,6: Eye Irrit. 2: H319, 0,6: Skin Corr. 1C: H314, 0,06 - <0,6: Skin Irrit. 2: H315, 0,0015: Skin Sens. 1A: H317

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

In case of contact with skin wash off with warm water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects
Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide.
Water spray jet.
Dry powder.
Foam.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:
Carbon monoxide (CO)
Nitrogen oxides (NOx).

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 31.05.2021, Revision 31.05.2021

Version 01

Page 3 / 12

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Wear suitable protective equipment. For personal protection see SECTION 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder, diatomaceous earth).

Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Do not eat or drink when working.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Protect from heat/overheating.

Keep in a cool place. Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 31.05.2021, Revision 31.05.2021

Version 01

Page 4 / 12

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Titanium dioxide
CAS: 13463-67-7, EINECS/ELINCS: 236-675-5
Long-term exposure: 4 mg/m ³ , respirable; total inhalable: TWA=10 mg/m ³
Limestone
CAS: 1317-65-3, EINECS/ELINCS: 215-279-6
Long-term exposure: 10 mg/m ³ , inhalable dust; respirable dust: 4 mg/m ³

PNEC

Substance
Titanium dioxide, CAS: 13463-67-7
oral (food), 1667 mg/kg
soil, 100 mg/kg
sediment (seawater), 100 mg/kg
sediment (freshwater), 1000 mg/kg
sewage treatment plants (STP), 100 mg/l
seawater, 1 mg/l
freshwater, 0,127 mg/l

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0,4 mm; Nitrile rubber, >120 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	light protective clothing
Other	Avoid contact with eyes and skin. Do not inhale vapours.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 31.05.2021, Revision 31.05.2021

Version 01

Page 5 / 12

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	pasty
Color	white
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not determined
Boiling point [°C]	not applicable
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm ³]	not determined
Relative density	not determined
Bulk density [kg/m ³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	not determined
Kinematic viscosity	not applicable
Relative vapour density	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Auto-ignition temperature	not applicable
Decomposition temperature [°C]	not determined
Particle characteristics	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7

10.5 Incompatible materials

Strong oxidizing agent.

Safety Data Sheet REACH(UK) (GB)
Acryl Früh Regenbeständig 165 WEISS

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 31.05.2021, Revision 31.05.2021

Version 01

Page 6 / 12

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity Based on available data, the classification criteria are not met.

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
LD50, oral, Rat, 670-784 mg/kg (EPA Guideline)
LD50, oral, Rat, 1020 mg/kg
NOAEL, oral, Rat, 10 mg/kg/90d (OECD 408)
Titanium dioxide, CAS: 13463-67-7
LD50, oral, Rat, > 5000 mg/kg OECD 425
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LD50, oral, 64 mg/kg (ECHA, CLH Report)
LD50, oral, Rat, 53 mg/kg

Acute dermal toxicity Based on available data, the classification criteria are not met.

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
LD50, dermal, Rat, > 5000 mg/kg (EPA OPP 81-2)
Titanium dioxide, CAS: 13463-67-7
LD50, dermal, Rabbit, > 5000 mg/kg
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LD50, dermal, Rabbit, 87,12 mg/kg (ECHA, CLH Report)

Acute inhalational toxicity Based on available data, the classification criteria are not met.

Substance
Titanium dioxide, CAS: 13463-67-7
LC50, inhalativ (dust), Rat, > 6,8 mg/l 4h
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LC50, inhalative, Rat, 0,171 mg/l/4h (ECHA, CLH Report)

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
Eye, Rabbit, EPA OPP 81-4 (100 mg), irritant

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
dermal, Rabbit, 0,5g, OECD 404, non-irritating
Titanium dioxide, CAS: 13463-67-7
OECD 404, non-irritating

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
May cause an allergic skin reaction.

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
Guinea pig, 0,5%, OECD 406, sensitising

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 31.05.2021, Revision 31.05.2021

Version 01

Page 8 / 12

Specific target organ toxicity — single exposure — Based on available data, the classification criteria are not met.

Specific target organ toxicity — repeated exposure — Based on available data, the classification criteria are not met.

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
NOAEL, oral, 69 mg/kg bw/day (OECD 407)

Mutagenicity — Does not contain a relevant substance that meets the classification criteria.

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
Cell culture, OECD 476, no adverse effect observed

Reproduction toxicity — Does not contain a relevant substance that meets the classification criteria.

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
NOAEL, oral, Rat (female), 112 mg/kg bw/day (EPA OPPTS 870.3800)

Carcinogenicity — The contained dangerous materials are not freely available with foreseeable use.

Substance
Titanium dioxide, CAS: 13463-67-7
ECHA, Carc. 2

Aspiration hazard — Based on available data, the classification criteria are not met.

General remarks

Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
LC50, (96h), Oncorhynchus mykiss, 1,4 mg/l (OECD 203)
LC50, (96h), Oncorhynchus mykiss, 0,8 mg/l
EC50, (72h), Pseudokirchneriella subcapitata, 0,11 mg/l (OECD 201)
EC50, (48h), Daphnia magna, 1,05 mg/l (OECD 202)
EC50, (48h), Daphnia magna, 4,4 mg/l
EC10, (72h), Pseudokirchneriella subcapitata, 0,04 mg/l (OECD 201)
Titanium dioxide, CAS: 13463-67-7
LC50, (48h), Daphnia magna, > 100 mg/l
LC50, (96h), Pimephales promelas, > 1000 mg/l
EC50, (72h), Pseudokirchneriella subcapitata, 16 mg/l
Mixture: 5-chloro-2-methyl-2H-isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LC50, (96h), Oncorhynchus mykiss, 0,19 mg/l
EC50, (48h), Daphnia magna, 0,18 mg/l
ErC50, Skeletonema costatum, 0,003 mg/l

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 31.05.2021, Revision 31.05.2021

Version 01

Page 9 / 12

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.
Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 070299

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 31.05.2021, Revision 31.05.2021

Version 01

Page 10 / 12

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 31.05.2021, Revision 31.05.2021

Version 01 Page 11 / 12

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	no
- VOC (2010/75/CE)	0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H332 Harmful if inhaled.
H334 Causes respiratory irritation.
H335 May cause respiratory irritation.
H350 Suspected of causing cancer.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position none

Copyright: Chemiebüro®